RECEIVED

JUN 1 8 2004

EOG Resources, Inc. P.O. 1910 Vernal, UT 84078

DIV. OF OIL, GAS & MINING

June 16, 2004

Utah Division of Oil, Gas, & Mining 1594 West North Temple, Suite 1210 P.O. Box 145801 Salt Lake City, UT 84114-5801

RE: APPLICATION FOR PERMIT TO DRILL PETE'S WASH UNIT 1-3
NW/NW (Lot 4), SEC. 3, T11S, R16E
DUCHESNE COUNTY, UTAH
LEASE NO.: UTU-76814
FEDERAL LANDS

Enclosed please find a copy of the Application for Permit to Drill and associated attachments for the referenced well.

Please address further communication regarding this matter (including approval) to:

Ed Trotter

P.O. Box 1910

Vernal, UT 84078

Phone: (435)789-4120 Fax: (435)789-1420

Sincerely,

Agent

EOG Resources, Inc.

Attachments

(September 2001)

FORM APPROVED OMB No. 1004-0136


UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

Expires January 31, 2004 DIV. OF OIL, GAS & MINH

5. Lease Serial No.

A DDL TO A my an	MINAGEMENT	<u>UTU-76814</u>
APPLICATION FOR PR	6. If Indian, Allottee or Tribe Name	
1a. Type of Work: X DRILL	☐ REENTER	7. If Unit or CA Agreement, Name and No. PETE'S WASH
1b. Type of Well: Oil Well X Gas Well	Other Single Zone X Multiple Z	8. Lease Name and Well No.
2. Name of Operator EOG RESOURCES, INC.		Zone PETE'S WASH UNIT 1-3 9. API Well No.
3a. Address P.O. BOX 1815 VERNAL, UT 84078	3b. Phone No. (Include area code)	43-013-32410
Report location clearly and in acco	rdance with any State requirements *	10. Field and Pool, or Exploratory NATURAL BUTTES 11. Sec. T. R. M. P. P.
At proposed prod. Zone	19155594 NW/NW (Lot 4)	11. Sec., T., R., M., or Blk. and Survey or Area SEC. 3, T11S, R16E, S.L.B.&M.
 Distance in miles and direction from nearest town or p 31.8 MILES SOUTHWEST OF M Distance from proposed* location to nearest 		12. County or Parish 13. State
property or lease line, ft. (Also to nearest drig. Unit line, if any)	2545	17. Spacing Unit dedicated to this well
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. See Topo Map C	19. Proposed Depth 12,985	20. BLM/BIA Bond No. on file NM-2308
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 6919.5 FEET GRADED GROUND	22. Approximate date work will start* UPON APPROVAL	23. Esti mated duration
Attachments The following, completed in accordance with the require 1. Well plat certified by a registered surveyor.	24. Attachments	45 DAYS
3. A Surface Use Plan (if the location is on National For SUPO shall be filed with the appropriate Forest Service 25. Signature	4. Bond to cover the (see Item 20 abo	operations unless covered by an existing bond on file ove).
Title A great	Name (Printed/Typed) Ed Trotter	Date June 16, 2004
Approved by (Signature) Approved Is Naccessian	Name (Printed/Typed)	
Title Title	BRADLEY G. HILL ENVIRONMENTAL SCIENTIST I	Date 06-22-04
Application approval does not warrant or certify that the applican onduct operations thereon. Conditions of Approval, if any, are attached.	t holds legal or equitable title to those rights in	the subject lease which would artist at
		would entitle the applicant to

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



PETE'S WASH UNIT 1-3 NW/NW (Lot 4), SEC. 3, T11S, R16E, S.L.B.&M. DUCHESNE COUNTY, UTAH

1. & 2. ESTIMATED TOPS & ANTICIPATED OIL, GAS, & WATER ZONES:

FORMATION	DEPTH (KB)
Wasatch	5012'
Dark Canyon	9325'
KMV Price River	9660'
KMV Middle Price River	10,702'
KMV Lower Price River	11,403'
Pressure Top	11,404'
KMV Castlegate	11,934'
Base of Castlegate Sandstone	12,159'
Sunnyside	12,454'
Kenilworth	12,699'
Aberdeen	12,886'

EST. TD: 12,985

Anticipated BHP 5600 PSI

DAMBIC EACEOD

3. PRESSURE CONTROL EQUIPMENT: BOP Schematic Diagram attached.

4. CASING PROGRAM:

							RATING FACTOR	<u> </u>
HOLE SIZE	<u>INTERVAL</u>	LENGTH	SIZE	WEIGHT	GRADE	THREAD	COLLAPSE BURST TE	ENSILE
17 1/2"	0' - 300'+/- KB	300' +/-	13 3/8"	48.0 #	H-40	ST&C	770 PSI 1730 PSI 3	22,000#
12 1/4"	300' - 4000'+/-KB	4000'+/-	9 5/8"	40.0#	J-55	ST&C	2570 PSI 3950 PSI 4:	52,000#
7 7/8"	3500' TD +/-KB	12,985' +/-	4 1/2"	11.6#	HC P-110	LT&C	8650 PSI 10,690 PSI 2°	79,000#

All casing will be new or inspected.

5. Float Equipment:

Surface Hole Procedure (0-300' Below GL):

Guide Shoe

Wooden wiper plug

Centralizers: 1 - 5 - 10' above shoe, every collar for next 3 joints (4 total).

Intermediate Hole Procedure (300'-4000'):

Guide Shoe

Insert Float Collar (PDC drillable)

Cents.: 1-5' above shoe, top of its. #2 and #3 then every 5th joint to surface. (15 total)

PETE'S WASH UNIT 1-3 NW/NW (Lot 4), SEC. 3, T11S, R16E, S.L.B.&M. DUCHESNE COUNTY, UTAH

Float Equipment(Continued):

Production Hole Procedure (4000'-TD):

FS, 1 joint of casing, FC, and balance of casing to surface. Run 11.6#, P-110 burst rating or equivalent marker collars or short casing joints at ± 9100 ' (top of Price River) and ± 4100 ' (500' above top of Wasatch). If marker collars are used, alter depth if needed to avoid placing across any potentially-productive intervals. Centralize 5' above shoe on joint #1, top of joint #2, then every 2nd joint to 400' above top of shallowest potentially-productive zone. Thread lock FS, top and bottom of FC, and top of 2^{nd} joint.

6. MUD PROGRAM

Surface Hole Procedure (0-300' below GL):

Air – Air Water Mist

Intermediate Hole Procedure (300'-4000'):

Water (circulate through reserve pit) with Gel/LCM sweeps.

Production Hole Procedure (4000'-TD):

4000'- 9100' Reserve pit water with 6.0 ppg DAP. Circulate through reserve pit with Gel/LCM and PHPA sweeps as needed.

9100'-TD Close in pits. "Mud up" with PHPA and Seamud for viscosity. Utilize PAC-R for fluid loss control. Let DAP concentration drop to and maintain 5.5 ppb. Do not mix caustic or lime. Maintain 7.5-8.5 pH. Weight up system with barite and add vis with PHPA and Seamud as hole conditions require. Run LCM sweeps periodically to seal off loss zones or more often as hole dictates. Water loss: 20 cc's maximum. Expect increasing gas shows requiring heavier mud weights from the top of the Price River onward. Treat CO2 contamination with DESCO CF if mud properties dictate.

7. VARIANCE REQUESTS:

- A. EOG Resources, Inc. requests a variance to regulations requiring a straight run blooie line (Where possible, a straight run blooie line will be used).
- B. EOG Resources, Inc. requests a variance to regulations requiring an automatic ignitor or continuous pilot light on the blooie line. (Not required on aerated water system).
- C. EOG Resources, Inc. requests a variance to regulations requiring the blooie line to be 100' in length. To reduce location excavation, the blooie line will be 75' in length.

PETE'S WASH UNIT 1-3 NW/NW (Lot 4), SEC. 3, T11S, R16E, S.L.B.&M. DUCHESNE COUNTY, UTAH

8. EVALUATION PROGRAM:

Logs: Schlumberger Platform Express with Di-pole Sonic from TD to base of surface casing in 1 run. Rotary sidewall cores as needed and based upon results from first log run.

9. CEMENT PROGRAM:

Surface Hole Procedure (0-300' Below GL)

Lead: 360 sx. (100% excess volume) Class 'G' cement with 2% S1 (CaCl2) & 0.25 pps D29 (cellophane flakes), mixed at 15.8 ppg, 1.15 cu. ft./sk., 4.95 gps water.

Top Out: Top out with Class 'G' cement with 2% S1 (CaCl2) in mix water, 15.8 ppg, 1.15 cu. ft./sk., 4.95 gps via 1" tubing set at 25' if needed.

Intermediate Hole Procedure (300'-4000')

Lead: 240 sx. (50% excess volume) Class 'G' lead cement (coverage from 3000-1000') with 5% D44 (Salt), 12% D20 (Bentonite), 1% D79% (Extender), 0.25% D112 (Fluid Loss Additive), 0.2% D46 (Anti-Foamer) & 0.25 pps D29 (Cellophane flakes) mixed at 11.0 ppg, 3.91 ft3/sk., 24.5 gps water.

Tail: 290 sx. (50% excess volume) Class 'G' cement (coverage from 4000-3000') with 10% D53 (Gypsum), 2% S1 (CaCl2) & 0.25 pps D29 (Cellophane flakes) mixed at 14.2 ppg, 1.61 ft3/sk., 7.9 gps water.

Production Hole Procedure (4000' to TD)

Lead (Scavenger): 100 sx. 35:65 Poz G w/ 4% D20 (Bentonite), 2% D174 (Extender), 0.2% D65 (Dispersant), 0.2% D46 (Antifoamer), 0.75% D112 (Fluid Loss Additive), 0.15 % D13 (Retarder), 0.25 pps D29 (cellophane flakes), mixed at 13.0 ppg, 1.75 cu. ft./sk., 9.19 gps water.

Middle: Estimated 350 sx. 50:50 Poz G (coverage from 12000-10500') w/ 2% D20 (Bentonite), 0.1% D46 (Antifoamer), 0.15% D13 (Retarder), 0.2% D167 (Fluid Loss Additive), 0.2% D65 (Dispersant), mixed at 14.0 ppg, 1.29 cu. ft./sk., 5.9 gps water.

Tail: Estimated 210 sx. 50:50 Poz G (coverage from 13100-12000') w/ 2% D20 (Bentonite), 35.0% D-66 (Silica), 0.1% D46 (Antifoamer), 0.075% D800 (Retarder), 0.2% D167 (Fluid Loss Additive), 0.2% D65 (Dispersant), mixed at 14.1 ppg, 1.53 cu. ft./sk., 7.0 gps water.

PETE'S WASH UNIT 1-3 NW/NW (Lot 4), SEC. 3, T11S, R16E, S.L.B.&M. DUCHESNE COUNTY, UTAH

10. ABNORMAL CONDITIONS:

INTERMEDIATE HOLE (300'-4000')

Potential Problems: Lost circulation below 1800' and minor amounts of gas may be present. Monitor for and report any hydrocarbon shows and/or water zones

PRODUCTION HOLE (4000'-TD)

Potential Problems: Sloughing shales and keyseat development are possible in the Wasatch Formation. CO2 contamination in the mud is possible in the Price River (Mesaverde).

11. STANDARD REQUIRED EQUIPMENT:

- A. Choke Manifold
- B. Kelly Cock
- C. Stabbing Valve
- D. Visual Mud Monitoring

12. HAZARDOUS CHEMICALS:

No chemicals subject to reporting under SARA title III in an amount equal to or greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling of this well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling of this well.

(Attachment: BOP Schematic Diagram)


5000 PSIG DIAGRAM

ANNULAR PREVENTOR AND BOTH RAMS ARE 5000 PSIG RATED. CASING FLANGE IS 11" 5000 PSIG RATED. **BOPE 11" 5000 PSIG**

TESTING PROCEDURE:

- 1. BOPE's will be tested with a professional tester to conform to Onshore Order #2 with retest every 14 days.

- strength, whichever is greater.
- blind & pipe rams.
- requirements for 5000 psig BOPE specifications.



ROTATING HEAD

FLOW LINE

CONDITIONS OF APPROVAL FOR THE SURFACE USE PROGRAM OF THE APPLICATION FOR PERMIT TO DRILL

Company/Operator:

EOG Resources, Inc.

Well Name & Number: Pete's Wash Unit 1-3

Lease Number:

UTU-76814

Location:

707' FNL & 463' FWL, NW/NW (Lot 4), Sec. 3,

T11S, R16E, S.L.B.&M., Duchesne County, Utah

Surface Ownership:

Federal

NOTIFICATION REQUIREMENTS

Location Construction - forty-eight (48) hours prior to construction

of location and access roads.

Location Completion - prior to moving on the drilling rig.

Spud Notice:

- at least twenty-four (24) hours prior to

spudding the well.

Casing String and

Cementing

- twenty-four (24) hours prior to running

casing and cementing all casing strings.

BOP and related

Equipment Tests

- twenty-four (24) hours prior to running

casing and tests.

First Production

Notice

- within five (5) business days after new

Well begins or production resumes after Well has been off production for more

than ninety (90) days.

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

THIRTEEN POINT SURFACE USE PROGRAM

1. EXISTING ROADS

- A. See attached Wellsite Plats showing directional reference stakes on location, and attached TOPO Map "B" showing access to location from existing roads.
- B. The proposed well site is located approximately 31.8 miles southwest of Myton, Utah See attached TOPO Map "A".
- C. Refer to attached Topographic Map "A" showing labeled access route to location.
- D. Existing roads will be maintained and repaired as necessary. No off lease Right-of-Way will be required.

2. PLANNED ACCESS ROAD

- A. The access road will be approximately 1.9 miles in length. See attached TOPO Map "B".
- B. The access road has a 30 foot ROW w/ 18 foot running surface.
- C. Maximum grade on access road will be 8%.
- D. No turnouts will be required.
- E. Road drainage crossings shall be of the typical dry creek drainage crossing type.
- F. No culverts, bridges, or major cuts and fills will be required.
- G. The access road will be dirt surface.
- H. No gates, cattleguards, or fences will be required or encountered.

New or reconstructed roads will be centerlined - flagged at time of location staking.

The road shall be upgraded to meet the standards of the anticipated traffic flow and all-weather road requirements. Upgrading shall include ditching, drainage, graveling, crowning, and capping the roadbed as necessary to provide a well-constructed safe road. Prior to upgrading, the road shall be cleared of any snow cover and allowed to dry completely. Traveling off the 30 foot Right-of-Way will not be allowed.

Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossings nor shall the drainages be blocked by the roadbed. Erosion of drainage ditches by run off water shall be prevented by diverting water off at frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. Should mud holes develop, they shall be filled in and detours around them avoided.

As operator, EOG Resources, Inc. shall be responsible for all maintenance on cattleguards, or gates associated with this oil and/or gas operation.

3. <u>LOCATION OF EXISTING WELLS WITHIN A ONE MILE RADIUS OF PROPOSED WELL LOCATION</u>

A. Abandoned wells - 1*

(*See attached TOPO map "C" for location)

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

A. ON WELL PAD

- 1. Production facilities will be set on location if the well is successfully completed for production. Facilities will consist of wellhead valves, combo separator-dehy unit with meter, 300 Bbl vertical or 200 Bbl low profile, condensate tank, and attaching piping.
- 2. Gas gathering lines A 4" gathering line will be buried from dehy to the edge of the location.

B. OFF WELL PAD

- 1. Proposed location of attendant off pad flowlines shall be flagged prior to archaeological clearance.
- 2. A 4" OD steel above ground natural gas pipeline will be laid approximately 4300' from proposed location to a point in the NW/SE of Section 33, T10S, R16E, where it will tie into Questar Pipeline Co.'s existing line. Proposed pipeline crosses Federal lands, thus a Right-of-Way grant will be required.
- 3. Proposed pipeline will be a 4" OD steel, welded line laid on the surface.
- 4. Protective measures and devices for livestock and wildlife will be taken and/or installed where required.

If storage facilities/tank batteries are constructed on this lease, the facility/battery or the well pad shall be surrounded by a containment dike of sufficient capacity to contain, at a minimum, the entire contents of the largest tank within the facility/battery.

The production facilities will be placed on the South side of the location.

All permanent (on site for six months or longer) structures constructed or installed (including pumping units) will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the Rocky Mountain Five State Interagency Committee. All facilities will be painted within 6 months of installation. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded.

The required paint color is Carlsbad Canyon.

If at any time the facilities located on public land and authorized by the terms of the lease are no longer included in the lease (due to a contraction in the unit or other lease or unit boundary change), BLM will process a change in authorization to the appropriate statute. The authorization will be subject to appropriate rental or other financial obligation as determined by the authorized officer.

5. LOCATION & TYPE OF WATER SUPPLY

- A. Water supply will be from Ouray Municipal Water Plant at Ouray, Utah, and/or Target Trucking Inc.'s water source in the SW/SW, Sec. 35, T9S, R22E, Uintah County, Utah (State Water Right #49-1501). Produced water from the Chapita Wells and Stagecoach Units will also be used.
- B. Water will be hauled by a licensed trucking company.
- C. No water well will be drilled on lease.

6. SOURCE OF CONSTRUCTION MATERIAL

- A. All construction material for this location and access road will be of native borrow and soil accumulated during the construction of the location.
- B. All construction material will come from Federal Land.
- C. No mineral materials will be required.

7. METHODS OF HANDLING WASTE DISPOSAL

A. METHODS AND LOCATION

- 1. Cuttings will be confined in the reserve pit.
- 2. A portable toilet will be provided for human waste during the drilling and completion of the well. Disposal will be at the Vernal sewage disposal plant.
- 3. Burning will not be allowed. Trash and other waste material will be contained in a wire mesh cage and disposed of at the Uintah County Landfill.
- 4. Produced wastewater will be confined to a lined pit or storage tank for a period not to exceed 90 days after initial production. After the 90 day period, the produced water will be contained in a tank on location and then disposed of at one of the following three locations: Natural Buttes Unit 21-20B SWD, Ace Disposal, or EOG Resources, Inc. drilling operations (Chapita Wells Unit, Natural Buttes Unit & Stagecoach Unit).

- 5. All chemicals will be disposed of at an authorized disposal site. Drip pans and absorbent pads will be used on the drilling rig to avoid leakage of oil to the pit.
- B. Water from drilling fluids and recovered during testing operations will be disposed of by either evaporating in the reserve pit or be removed and disposed of at an authorized disposal site. Introduction of well bore hydrocarbons to the reserve pit will be avoided by flaring them off in the flare pit at the time of recovery.

On BLM administered land:

The reserve pit will be constructed so as not to leak, break, or allow discharge. If the reserve pit requires padding prior to lining (due to rocky conditions) felt padding will be used.

The reserve pit shall be lined with felt and plastic liners.

8. ANCILLARY FACILITIES

A. No airstrips or camps are planned for this well.

9. WELLSITE LAYOUT

- A. Refer to attached well site plat for related topography cuts and fills and cross sections.
- B. Refer to attached well site plat for rig layout and soil material stockpile location as approved on On-site.
- C. Refer to attached well site plat for rig orientation, parking areas, and access road.
- D. The approved seed mixture for this location is:
 True Mountain Mahogany or Bur Leaf Mahogany 4 pounds per acre
 Beardless Blue Bunch Bluegrass 4 pounds per acre
 Hi-Crest Crested Wheat Grass 4 pounds per acre

The reserve pit will be located on the Southwest corner of the location. The flare pit will be located downwind of the prevailing wind direction on the West side of the location, a minimum of 100 feet from the well head and 30 feet from the reserve pit fence.

The stockpiled location topsoil will be stored Northeast and South of Corner #1. Upon completion of construction, the stockpiled topsoil from the location will be broadcast seeded with the approved seed mixture for this location and then walked down with a cat.

Access to the well pad will be from the Northwest.

Corners #2, #6, & #8 will be rounded off to minimize excavation.

FENCING REQUIREMENTS:

All pits will be fenced according to the following minimum standards:

- A. Thirty-nine inch net wire shall be used with at least one strand of barbed wire on top of the net wire. (Barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence).
- B. The net wire shall be no more than 2 inches above the ground. The barbed wire strand shall be 3 inches above the net wire. Total height of the fence shall be at least 42 inches.
- C. Corner posts shall be cemented and/or braced in such a manner as to keep the fence tight at all times.
- D. Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16 feet.
- E. All wire shall be stretched by using a stretching device before it is attached to the corner posts.

The reserve pit fencing will be on the three sides during drilling operations and on the fourth side when the rig moves off the location. Pits will be fenced and maintained until clean-up.

Each existing fence to be crossed by the access road shall be braced and tied off before cutting so as to prevent slacking of the wire. The opening shall be closed temporarily as necessary during construction to prevent the escape of livestock, and, upon completion of construction, the fence shall be repaired to BLM or SMA specifications. A cattleguard with an adjacent 16 foot gate shall be installed in any fence where a road is to be regularly traveled. If the well is a producer, the cattleguards (shall/shall not) be permanently mounted on concrete bases. Prior to crossing any fence located on Federal land, or any fence between Federal land and private land, the operator will contact the BLM, who will in turn contact the grazing permittee or owner of said fence and offer him/her the opportunity to be present when the fence is cut in order to satisfy himself/herself that the fence is adequately braced and tied off.

10. PLANS FOR RESTORATION OF SURFACE

A. PRODUCING LOCATION

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, materials, trash, and junk not required for production.

Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with CFR 3162.7-1.

If a plastic nylon reinforced liner is used, it shall be torn and perforated before backfilling of the reserve pit.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours. The stockpiled pit topsoil will then be spread over the pit area and broadcast seeded with the prescribed seed mixture for this location. The seeded area will then be walked down with a cat.

B. <u>DRY HOLE/ABANDONED LOCATION</u>

At such time as the well is plugged and abandoned, the operator will submit a subsequent report of abandonment and the BLM will attach the appropriate surface rehabilitation conditions of approval.

11. SURFACE OWNERSHIP

Access road: Federal Location: Federal

12. OTHER INFORMATION

- A. EOG Resources, Inc. will inform all persons in the area who are associated with this project that they are subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator will immediately stop work that might further disturb such materials, and contact the AO. Within five working days the AO will inform the operator as to:
 - whether the materials appear eligible for the National Register of Historic Places;
 - the mitigation measures the operator will likely have to undertake before the site can be used.
 - a time frame for the AO to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the AO are correct and that mitigation is appropriate.

If the operator wished, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the AO will assume responsibility for whatever recordation and stabilization of the exposed materials that may be required. Otherwise, the operator will be responsible for mitigation costs. The AO will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the AO that required mitigation has been completed, the operator will then be allowed to resume construction.

B. As operator, EOG Resources, Inc. will control noxious weeds along Right-of-Ways for roads, pipelines, well sites, or other applicable

facilities. A list of noxious weeds will be obtained from the BLM, or the appropriate County Extension Office. On BLM administered land, a Pesticide Use proposal shall be submitted, and given approval, prior to the application of herbicides or other pesticides or possible hazardous chemicals.

C. Drilling rigs and/or equipment used during drilling operations on this well site will not be stacked or stored on BLM lands after the conclusion of drilling operations or at any other time without BLM authorization. However, if BLM authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities. (The BLM does not seek to compete with private industry. There are commercial facilities available for stacking and storing drilling rigs.)

Additional Surface Stipulations

- X No construction or drilling activities (subject to review) shall be conducted between December 1 and April 30 because of Crucial Deer and Elk winter range stipulations.
- X Trees removed from the site during construction shall be kept separate from the top soil above the location.

LESSEE'S OR OPERATOR'S REPRESENTATIVE AND CERTIFICATION

PERMITTING AGENT

Ed Trotter P.O. Box 1910 Vernal, UT 84078

Telephone: (435)789-4120

Fax: (435)789-1420

DRILLING OPERATIONS

Donald Presenkowski EOG Resources, Inc.

P.O. Box 250

Big Piney, WY 83113

Telephone: (307)276-4865

All lease or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approval plan of operations, and any applicable Notice to Lessees. EOG Resources, Inc. is fully responsible for the actions of their subcontractors. A copy of these conditions will be furnished to the field representative to insure compliance.

A copy of the approved APD and ROW grant, if applicable, shall be on location during construction of the location and drilling activities.

Certification

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions that presently exist; that the statements made in the Plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by EOG Resources, Inc. and its contractors and subcontractors in conformity with this Plan and the terms and conditions under which it is approved.

Please be advised that EOG Resources, Inc. is considered to be the operator of the Pete's Wash Unit 1-3 Well, located in the NW/NW (Lot 4) of Section 3, T11S, R16E, Uintah County, Utah; Lease #UTU-76814; and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond Coverage is provided under Bond #NM 2308.

Agent Twitt

<u>6-17-2004</u> Date

9

EOG RESOURCES, INC.

PETES WASH UNIT #1-3 SECTION 3, T11S, R16E, S.L.B.&M.

PROCEED IN A SOUTHWESTERLY DIRECTION FROM MYTON, UTAH ALONG HIGHWAY 40 APPROXIMATELY 1.5 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH; TURN LEFT AND PROCEED IN A SOUTHERLY, THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 11.2 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH: TURN RIGHT AND PROCEED IN SOUTHERLY. Α SOUTHWESTERLY, THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 5.9 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHWEST: TURN RIGHT AND PROCEED IN A SOUTHWESTERLY, THEN NORTHWESTERLY DIRECTION APPROXIMATELY 1.8 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHWEST; TURN LEFT AND PROCEED IN A SOUTHWESTERLY DIRECTION APPROXIMATELY 2.5 MILES TO THE BEGINNING OF THE PROPOSED ACCESS TO THE SOUTHWEST; FOLLOW ROAD FLAGS IN A SOUTHWESTERLY, THEN NORTHWESTERLY, THEN NORTHEASTERLY, THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 1.9 MILES TO THE PROPOSED LOCATION.

TOTAL DISTANCE FROM MYTON UTAH TO PROPOSED LOCATION IS APPROXIMATELY 31.8 MILES.

EOG RESOURCES, INC.

PETE'S WASH UNIT #1-3 LOCATED IN DUCHESNE COUNTY, UTAH **SECTION 3, T11S, R16E, S.L.B.&M.**



PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: EASTERLY




PHOTO: VIEW FROM PROPOSED ACCESS TOWARD LOCATION

CAMERA ANGLE: EASTERLY





Uintah Engineering & Land Surveying 85 South 200 East Vernal, Utah 84078 435-789-1017 uels@uelsinc.com


LOCATION PHOTOS


РНОТО


TAKEN BY: D.K. DRAWN BY: J.L.G. REVISED: 6-4-04











- TEMPORARILY ABANDONED

707' FNL 463' FWL




Uintah Engineering & Land Surveying 85 South 200 East Vernal, Utah 84078 (435) 789-1017 * FAX (435) 789-1813 TOPOGRAPHIC

MAP

MONTH DAY

SCALE: 1" = 2000' DRAWN BY: J.L.G. REVISED: 6-4-04



WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 06/18/2004	API NO. ASSIGNED: 43-013-32610
WELL NAME: PETES WASH U 1-3	
OPERATOR: EOG RESOURCES INC (N9550)	
CONTACT: ED TROTTER	PHONE NUMBER: 435-789-4120
PROPOSED LOCATION:	
NWNW 03 110S 160E	INSPECT LOCATN BY: / /
SURFACE: 0707 FNL 0463 FWL BOTTOM: 0707 FNL 0463 FWL	Tech Review Initials Date
DUCHESNE	Engineering
WILDCAT (1)	Geology
LEASE TYPE: 1 - Federal	Surface
LEASE NUMBER: UTU-76814	
SURFACE OWNER: 1 - Federal	LATITUDE: 39.89129
PROPOSED FORMATION: CSLGT	
COALBED METHANE WELL? NO	LONGITUDE: 110.11745
Plat Bond: Fed[1] Ind[] Sta[] Fee[] (No. NM-2308) Potash (Y/N) N Oil Shale 190-5 (B) or 190-3 or 190-13 Water Permit (No. 49-1501) RDCC Review (Y/N) (Date:) in Fee Surf Agreement (Y/N)	LOCATION AND SITING: R649-2-3. Unit PETES WASH R649-3-2. General Siting: 460 From Qtr/Qtr & 920' Between Wells R649-3-3. Exception Drilling Unit Board Cause No: Eff Date: Siting: R649-3-11. Directional Drill
STIPULATIONS: 1- Gedera Constant Spacing S	Liprova (

T10S R16E		
32 33	я	25
*		
⊙		
T11S R16E	MIAMI FED BZA 1	
	MALS BASH	
		HTMS WASHING?
*	(8);	3
	PETER WACH HAIT	
	PETE'S WASH UNIT	
	5895	11 12
,	10	11 12
OPERATOR: EOG RESOURCES INC (N95	.50)	
SEC. 3 T.11S, R.16E		W W W
FIELD: WILDCAT (001) COUNTY: DUCHESNE		**
SPACING: R649-3-2 / GENERAL SITING		
	Ptotalcus	Utah Oil Gas and Mining
GAS INJECTION E	Fields.shp XPLORATORY ABANDONED GAS STORAGE ACTIVE	
× LOCATION ABANDONED NEW LOCATION N	IF PP OIL COMBINED	N A
PRODUCING GAS	ENDING PROPOSED	W E
SHUT-IN GAS	F GEOTHERM	
× TEMP. ABANDONED TEST WELL	P GEOTHERML P OIL	5
WATER SUPPLY TO	ECONDARY ERMINATED	PREPARED BY: DIANA WHITNEY DATE: 18-JUNE-2004
∠ WATER DISPOSAL		Ditter to join and

United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

June 18, 2004

Memorandum

To: Assistant District Manager Minerals, Vernal District

From: Michael Coulthard, Petroleum Engineer

Subject: 2004 Plan of Development Pete's Wash, Uintah

County, Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following well is planned for calendar year 2004 within the Pete's Wash Unit, Uintah County, Utah.

API#

WELL NAME

LOCATION

(Proposed PZ Castlegate)

43-013-32610 Pete's Wash Unit 1-3 Sec 3 T11S R16E 0707 FNL 0463 FWL

This office has no objection to permitting the wells at this time.

/s/ Michael L. Coulthard

bcc: File - Pete's Wash Unit

Division of Oil Gas and Mining

Agr. Sec. Chron Fluid Chron

MCoulthard:mc:6-18-04



State of Utah

Department of Natural Resources

ROBERT L. MORGAN Executive Director

Division of Oil, Gas & Mining

LOWELL P. BRAXTON
Division Director

OLENE S. WALKER
Governor

GAYLE F. McKEACHNIE
Lieutenant Governor

June 22, 2004

EOG Resources, Inc. P O Box 1815 Vernal, UT 84078

Re:

Pete's Wash Unit 1-3 Well, 707' FNL, 463' FWL, NW NW, Sec. 3,

T. 11 South, R. 16 East, Duchesne County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-013-32610.

Sincerely,

John R. Baza
Associate Director

pab Enclosures

cc: Duchesne County Assessor

Bureau of Land Management, Vernal District Office

Operator:	EOG Resources, Inc.			
Well Name & Number	Pete's Wash Unit 1-3			
API Number:	43-013-32610 UTU-76814			
Location: <u>NW NW</u>	Sec 3	T. 11 South	R. 16 East	

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

Form 3160-3 (September 2001)

AAR

UNITED STATES

FORM APPROVED OMB No. 1004-0136 Expires January 31, 2004

O O O	DEPARTMENT OF	FTHE INTERIOR,	1	e Serial No.				
	BUREAU OF LAN		<u>UTU-76814</u>					
APPLI	CATION FOR PERMI	T TO DRILL OR REENT	1	Indian, Allottee or	Tribe Name			
la. Type of Work:	ype of Work: X DRILL REENTER				7. If Unit or CA Agreement, Name and No. PETE'S WASH			
1b. Type of Well: Oil	I Well X Gas Well C Other	Single Zone X Multiple Zone	1	ase Name and Wel				
2. Name of Operator EOG RESOUR	CES, INC.		9. A	PI Well No.	32610			
3a. Address P.O. BC VERNA	AL, UT 84078	3b. Phone No. (Include area code) (435)789-0790	N ₂	d and Pool, or Exp	UTTES			
	rt location clearly and in accordance FNL, 463' FWL	NW/NW (Lot 4)	11. Se		Blk. and Survey or Area 11S, R16E, M.			
	direction from nearest town or post of OUTHWEST OF MYT		l l	12. County or Parish 13. State DUCHESNE UTAH				
15. Distance from proposed location to nearest property or lease line, f (Also to nearest drig. Un	d* t. 463'	16. No. of Acres in lease 2545	17. Spacing	Unit dedicated to	this well			
18. Distance from proposed to nearest well, drilling applied for, on this leas	, completed,	19. Proposed Depth 20. BLM/BIA Bond No. on file NM-2308						
	her DF, KDB, RT, GL, etc.) GRADED GROUND	22. Approximate date work will start* UPON APPROVAL 24. Attachments		23. Esti mated 45 DAY				
Attachments The following, comple	eted in accordance with the requiren	nents of Onshore Oil and Gas Order No. 1,	, shall be attached	to this form:				
 A Drilling Plan. A Surface Use Plan 	by a registered surveyor. n (if the location is on National Fored with the appropriate Forest Service	(see Item 20 a st System Lands, the 5. Operator certific e Office). 6. Such other site sp	above). ation.		existing bond on file			
25. Signature Zel Zel	rott_	Name (Printed/Typed) Ed Trotter	: -	EIVED	Date June 16, 2004			
Title Agent			AUG 3	0 2004 : GAS & MINING				
Approved by (Signatur	e) /	Name (Printed/Typed) EDW W I E		Date 8	9/14			
Mine	nt Field Manager ral Resources	Office			1			
Application approval does r	not warrant or certify that the applica	ant holds legal or equitable title to those rig	thts in the subject	lease which would	d entitle the applicant to			

conduct operations thereon.

Conditions of Approval, if any, are attached.

NOTICE OF APPROVAL

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*(Instructions on reverse)

CONDITIONS OF APPROVAL APPLICATION FOR PERMIT TO DRILL

Company/Operator: <u>EOG Resources, Inc.</u>
Well Name & Number: Pete's Wash 1-3
Lease Number: <u>U-76814</u>
API Number: 43-013-32610
Location: <u>Lot 4</u> Sec. <u>3</u> T. <u>11S</u> R. <u>16E</u>
Agreement: Pete's Wash Unit

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. <u>DRILLING PROGRAM</u>

1. <u>Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be</u>
Encountered

Report <u>ALL</u> water shows and water-bearing sands to John Mayers of this office **prior to setting the next casing string or requesting plugging orders**. Faxed copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

The BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., for a <u>5M</u> system and individual components shall be operable as designed. Chart recorders shall be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

3. <u>Casing Program and Auxiliary Equipment</u>

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint. Surface casing setting depths are based on ground level elevations only.

All casing strings below the conductor shall be pressure tested to 0.22 psi/ft of casing string length or 1500 psi, whichever is greater but not to exceed 70% of the minimum internal yield.

The base of the usable water has been identified as ± 4368 '. As a minimum requirement, cement behind the production casing must extend at least 200' above the intermediate casing shoe.

4. Mud Program and Circulating Medium

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

A cement bond log (CBL) will be run from the production casing shoe to top of the cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.

Please submit to this office, in LAS format, an electronic copy of all logs run on this well This submission will replace the requirement for submittal of paper logs to the BLM.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the AO.

6. <u>Notifications of Operations</u>

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If

operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

Operator shall report production data to MMS pursuant to 30 CFR 216.5 using form MMS/3160.

<u>Immediate Report</u>: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Written notification of such must be submitted to this office not later than five (5) days following the date on which the well is placed on production.

Gas produced from this well may not be vented or flared beyond an initial authorized test period of 30 days or 50 MMCF following its completion, whichever occurs first, without the prior written approval of the Authorized Officer. Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

A schematic facilities diagram as required by 43 CFR 3162.7-5(d) shall be submitted to the appropriate Field Office within 60 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-5 (1).

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergencies, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling onlease or off-lease will have prior written approval from the AO.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries and tested for meter accuracy at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162. "Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approvals are necessary, you must contact one of the following individuals:

Ed Forsman

(435) 828-7874

Petroleum Engineer

Kirk Fleetwood

(435) 828-7875

Petroleum Engineer

BLM FAX Machine (435) 781-4410

EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous.

Unused fracturing fluids or acids

Gas plant cooling tower cleaning wastes

Painting wastes

Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spend solvents, spilled chemicals, and waste acids

Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste

Refinery wastes

Liquid and solid wastes generated by crude oil and tank bottom reclaimers

Used equipment lubrication oils

Waste compressor oil, filters, and blowdown

Used hydraulic fluids

Waste solvents

Waste in transportation pipeline-related pits

Caustic or acid cleaners

Boiler cleaning wastes

Boiler refractory bricks

Incinerator ash

Laboratory wastes

Sanitary wastes

Pesticide wastes

Radioactive tracer wastes

Drums, insulation and miscellaneous solids.

COAs Page 6 of 6 Well No.: NDC 135-22

CONDITIONS OF APPROVAL FOR THE SURFACE USE PROGRAM OF THE APPLICATION FOR PERMIT TO DRILL

- -To keep the disturbance to a minimum, during the construction of the buried pipeline, the existing road shall be used as a working surface and the trench dug along the edge of the road.
- -The pipeline disturbance shall be seeded with the same seed mix identified in the APD for the reclamation of the topsoil, reserve pit, and for final abandonment.

STATE OF UTAH

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. 1. TYPE OF WELL OIL WELL GAS WELL OTHER 9. API NUMBER: EOG RESOURCES, INC. 430133261	ASH UNIT ad NUMBER: ASH UNIT 1-3
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. 1. TYPE OF WELL OIL WELL GAS WELL OTHER 9. API NUMBER: EOG RESOURCES, INC. 430133261	ASH UNIT ad NUMBER: ASH UNIT 1-3
OIL WELL GAS WELL OTHER PETE'S W. 2. NAME OF OPERATOR: EOG RESOURCES, INC. 9. API NUMBER: 430133261	ASH UNIT 1-3
EOG RESOURCES, INC. 430133261	
	OOL, OR WILDCAT:
3. ADDRESS OF OPERATOR: P.O. BOX 1910 CITY VERNAL STATE UT ZIP 84078 PHONE NUMBER: (435) 789-4120	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 707' FNL, 463' FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: LOT4 3 11S 16E S STATE:	TAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTH	ER DATA
TYPE OF SUBMISSION TYPE OF ACTION	
NOTICE OF INTENT (Submit in Duplicate) ALTER CASING FRACTURE TREAT SIDETRAG	FLARE
Date of work completion: CHANGE WELL STATUS PRODUCTION (START/RESUME) WATER S	нит-огг Extension Reguest
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. EOG Resources, Inc. requests that the APD for the subject well be extended for one year. Approved by 10 Utah Division of Oil, Gas and Mining Oil, Gas and Oil,	
NAME (PLEASE PRINT) Ed Trottel TITLE Agent SIGNATURE DATE 6/12/2005	

(This space for State use only)

RECEIVED

... ma



Application for Permit to Drill Request for Permit Extension Validation

(this form should accompany the Sundry Notice requesting permit extension)

Location: Company Per		L, LOT 4, SEC. 3, T11S, R161 EOG RESOURCES, INC.	Σ
above, hereby	verifies that the i	legal rights to drill on thinformation as submitted mains valid and does no	
Following is a verified.	checklist of some	e items related to the ap	plication, which should be
	rivate land, has th en updated? Yesl	ne ownership changed, □ No ☑	if so, has the surface
_		he vicinity of the propos nts for this location? Yes	ed well which would affect s
		er agreements put in pla roposed well? Yes⊡ No	
		o the access route incluroposed location? Yes[uding ownership, or right- ⊒ No ⊠
Has the approv	ved source of wat	ter for drilling changed?	Yes□No☑
	ire a change in p	hanges to the surface le lans from what was disc	ocation or access route cussed at the onsite
Is bonding still	in place, which c	overs this proposed we	ll? Yes ☑ No □ 6/12/2005
Signature () wan		Date
Title: Agent			
Representing:	EOG RESOURCES	S, INC.	
			American Services



FORM 3170-5 (April 2004)

UNITE TATES DEPARTMENT THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES	AND	DEDODTS	ON	MEI	IC
SUMDRY NOTICES	AND	REPURIS	UN	VVEL	LO

Do not use this form for proposals to drill or to re-enter an

FORM APPROVED
OMB No. 1004-0137
Expires March 31, 2007

5. Lease Serial No.

	UTU	J-7	68	14
--	-----	-----	----	----

6. If Indian, Allottee or Tribe Name

abandoned well. I	Jse Form 3160-3 (APD) for suc	h proposais.		
			7. If Unit or CA/Agreement, Name a	and/or No.
SUBMIT IN TRIPLICATE - Other	instructions on reverse s	ide	PETE'S WASH UNI	TT
1. Type of Well Oil Well X Gas Well O	JUL 19	2005	8. Well Name and No. PETE'S WASH UNI	TT 1-3
2. Name of Operator	The state of the s		9. API Well No.	
EOG RESOURCES, INC.	, Va		43-013-32610	
3a. Address	3b. Phone No. (include area	code)	10. Field and Pool, or Exploratory A	rea
P.O. BOX 1910, VERNAL, UT 84078	(435)78			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		11. County or Parish, State		
707' FNL,463' FWL Lot 4		UINTAH COUNTY	, UTAH	
SECTION 3, T11S, R16E, S.L.B.&M.				
12 CHECK APPROPRI	ATE BOX(ES) TO INDIC	CATE NATURE OF	NOTICE, REPORT, OR OTHE	ER DATA
TYPE OF SUBMISSION		OF ACTION		
X NOTICE OF INTENT SUBSEQUENT REPORT FINAL ABANDONMENT NOTICE	Acidize Alter Casing Casing Repair Change Plans Convert to Injection	Deepen Fracture Treat New Construction Plug and Abandon Plug Back	Production (Start/Resume) Reclamation Recomplete Temporarily Abandon Water Disposal	Water Shut-off Well Integrity X Other Extension request
13. Describe Proposed or Completed Operations (Clear	ly state all pertinent details, incl	iding estimated starting da	te of any proposed work and approxim	ate duration thereof.
Test 1 i- t- danger directionally or recompl	ete horizontally give subsurface	locations and measured at	ia itae vetacai aedais or an berancia i	HULKOLD WHA ZOHOD.

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof if the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a form 3160-4 shall be filed once testing is completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

EOG Resources, Inc. requests that the APD for the subject well be extended for one year.

RECEIVED SEP 0 9 2005

CONDITIONS OF APPROVAL ATTACHED

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) **Ed Trotter**	Title Agent		
Signature Zel Watt	Date July 19, 2005		
THIS SPACE FOR FEDERAL OR STATE OFFICE USE			
Approved by Marx Poles P	etroleum Engineer _{DATE} AUG 0 9 2005		
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights	Office s in the subject lease which would entitle		
the applicant to conduct operations thereon.			
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and w or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter with	illfully to make to any department nin its jurisdiction.		

CONDITIONS OF APPROVAL

EOG Resources Inc.

Notice of Intent APD Extension

Lease:

UTU-76814

Well:

PWU #1-3

Location:

NWNW Sec 3-T11S-R16E

An extension for the referenced APD is granted with the following conditions:

- 1. The extension and APD shall expire on 08/19/06
- 2. No other extension shall be granted.

If you have any other questions concerning this matter, please contact Matt Baker of this office at (435) 781-4490

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING	LEASE DESIGNATION AND SERIAL NUMBER: UTU 76814 IF INDIAN, ALLOTTEE OR TRIBE NAME:
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT OF CA AGREEMENT NAME: PETE'S WASH UNIT
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: PETE'S WASH WASH 1-3 9. API NUMBER:
2. NAME OF OPERATOR: EOG RESOURCES, INC. IPHONE NUMBER:	43-013-32610 10. FIELD AND POOL, OR WILDCAT:
3. ADDRESS OF OPERATOR: P.O. BOX 1815 VERNAL STATE UT ZIP 84078 (435) 789-0790	NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 707 FNL 463 FWL 39.891300 LAT 110.117411 LON QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NWNW 3 11S 16E S.L.B. & M	COUNTY: DUCHESNE STATE: UTAH
CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REP	ORT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: CASING REPAIR CHANGE TO PREVIOUS PLANS DEEPEN FRACTURE TREAT NEW CONSTRUCTION OPERATOR CHANGE	REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR VENT OR FLARE
SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: CHANGE WELL NAME CHANGE WELL STATUS PRODUCTION (START/RESUME) COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	WATER DISPOSAL WATER SHUT-OFF OTHER: APD EXTENSION REQUEST
DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, vol EOG Resources, Inc. respectfully requests the APD for the referenced well be extended to	
Oil, Gas and Mining Date: 06-19-016	totala
NAME (PLEASE PRINT) Kaylene R. Gardner TITLE Regulatory As	ssistant
(This space for State ase only)	

RECEIVED JUN 1 2 2006

Application for Permit to Drill Request for Permit Extension Validation

Validation
(this form should accompany the Sundry Notice requesting permit extension)

43-013-32610

API:

Well Name:	PETE'S WASH 1-3	
		SECTION 3, T11S, R16E S.L.B.&M
	mit Issued to: EOG RE	SOURCES, INC.
Date Original	Permit Issued: 6/22/2004	
above hereby	verifies that the informat	ghts to drill on the property as permitted ion as submitted in the previously alid and does not require revision.
Following is a verified.	checklist of some items r	elated to the application, which should be
If located on pragreement bea	rivate land, has the owne en updated? Yes⊡No⊡	ership changed, if so, has the surface
Have any wells the spacing or	s been drilled in the vicin siting requirements for t	ity of the proposed well which would affect his location? Yes□ No ☑
Has there bee permitting or o	n any unit or other agree peration of this proposed	ments put in place that could affect the d well? Yes□ No ☑
Have there be of-way, which	en any changes to the a could affect the propose	ccess route including ownership, or right- d location? Yes□No☑
Has the appro	ved source of water for o	drilling changed? Yes□No☑
Have there be which will requevaluation? Ye	iire a change in plans fro	s to the surface location or access route om what was discussed at the onsite
Is bonding still	in place, which covers t	his proposed well? Yes ☑No□
		6/9/2006
Signature		Date
Title: REGUL	ATORY ASSISTANT	
Representing	EOG RESOURCES, INC.	

RECEIVED
JUN 1 2 2006

STATE OF UTAH

DIVISION OF OIL, G	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU 76814	
SUNDRY NOTICES AND	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for proposals to drill new wells, significantly deepen exis	sting wells below current bottom-hole depth, reenter plugged we PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL GAS WELL		8. WELL NAME and NUMBER: Pete's Wash 1-3
2. NAME OF OPERATOR: EOG RESOURCES, INC.		9. API NUMBER: 43-013-32610
3. ADDRESS OF OPERATOR:	TATE UT ZIP 84078 PHONE NUMBER: (435) 789-0	10. FIELD AND POOL, OR WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 707 FNL& 463 FWL 39.89 QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NWNW 3		COUNTY: Duchesne
		UTAH
	TO INDICATE NATURE OF NOTICE,	
TYPE OF SUBMISSION	TYPE OF ACTION	
NOTICE OF INTENT (Submit in Duplicate) ACIDIZE ALTER CASING	DEEPEN FRACTURE TREAT	REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL
(Submit in Duplicate) ALTER CASING Approximate date work will start: CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON
CHANGE TO PREVIOUS		TUBING REPAIR
CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
(Submit Original Form Only)		
Date of work completion:		OTHER: APD EXTENSION
CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FOI	DECLIEST
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS.	Clearly show all pertinent details including dates, dept	hs, volumes, etc.
EOG Resources, Inc. respectfully requests the	APD for the referenced well be extend	ded for one year.
Utah D	ed by the ivision of and Mining	
Date:By:	ALCONO.	DIV OF OIL, GAS & NIDHMG
NAME (DI EASE DRINT) Kaylene R. Gardner	Sr. Regula	atory Assistant
NAME (PLEASE PRINT) Kaylene R. Gardner	11166	
SIGNATURE LO LLOT TO CALLAR	DATE 6/6/2007	

(This space for State use only)

Application for Permit to Drill Request for Permit Extension Validation

S /.

(this form should accompany the Sundry Notice requesting permit extension)


V L	Vell Name: .ocation: company Per	Pete's Wash 1-3 707 FNL & 463 FWL (NWNV mit Issued to: EOG Res Permit Issued: ه	V) Section 3, T11S, R16E S.L.B.&M sources, Inc.
а	bove, hereby	verifies that the informat	ghts to drill on the property as permitted ion as submitted in the previously alid and does not require revision.
	ollowing is a erified.	checklist of some items r	elated to the application, which should be
		rivate land, has the owne en updated? Yes⊡No⊡	rship changed, if so, has the surface
			ity of the proposed well which would affect nis location? Yes⊟ No⊠
		n any unit or other agree peration of this proposed	ments put in place that could affect the I well? Yes□ No ☑
		en any changes to the accould affect the proposed	ccess route including ownership, or rightdlocation? Yes□No☑
۲	las the appro	ved source of water for d	rilling changed? Yes□No☑
W	lave there be which will requ evaluation? Ye	ire a change in plans fro	to the surface location or access route m what was discussed at the onsite
ls	s bonding still	in place, which covers the	nis proposed well? Yes⊠No□
1	pun 1	Contra	6/6/2007 Date
	Signature		Dale
ı	itle: Sr. Regul	atory Assistant	
F	Representing:	EOG Resources, Inc.	



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Vernal Field Office 170 South 500 East Vernal, UT 84078





IN REPLY REFER TO: 3160 UT08300

May 20, 2008

43-013-32610

Kaylene R. Gardner EOG Resources, Inc. 1060 East Hwy 40 Vernal, UT 84078

Re: Notice of Expiration

Well No. Pete's Wash Unit 1-3 NWNW Lot 4, Sec. 3, T11S, R16E

Duchesne County, Utah Lease No. UTU-76814

Pete's Wash Unit Terminated 06/02/05 (Well was moved back to lease basis)

Dear Kaylene:

The Application for Permit to Drill (APD) the above-referenced well was approved on August 19, 2004. A one (1) year extension of the original APD was requested. The request was reviewed and the extension approved until August 19, 2006. Another extension request was received on April 9, 2007 and this request was denied on April 9, 2007. According to our records, no known activity has transpired at the approved location. In view of the foregoing, this office is notifying you that the approval of the referenced application has expired. If you intend to drill at this location in the future, a new Application for Permit to Drill must be submitted.

This office requires a letter confirming that no surface disturbance has been made for this drill site. Any surface disturbance associated with the approved location of this well is to be rehabilitated. A schedule for this rehabilitation must be submitted to this office. Your cooperation in this matter is appreciated.

If you have any questions regarding this matter, please contact me at (435) 781-4455.

Sincerely,

Cindy Severson

Cindy Severson Land Law Examiner

cc: UDOGM

RECEIVED MAY 2 3 2008

DIV. OF OIL, GAS & MINING

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU76814		
SUNDRY	NOTICES AND REPORT	S ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill n drill horizontal la	new wells, significantly deepen existing wells below cur aterals. Use APPLICATION FOR PERMIT TO DRILL t	rrent bottom-hole depth, reenter plugged wells, or to form for such proposals.	7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL	8. WELL NAME and NUMBER: Pete's Wash 1-3		
2. NAME OF OPERATOR:			9. API NUMBER:
EOG Resources, Inc.			43-013-32610
3. ADDRESS OF OPERATOR: 1060 East Highway 40	Y VERNAL STATE UT ZIP	PHONE NUMBER: (435) 789-0790	10. FIELD AND POOL, OR WILDCAT: Natural Buttes
4. LOCATION OF WELL		-	
FOOTAGES AT SURFACE: 707 F	NL & 463 FWL 39.891300 Lat 11	0.117411 Lon	COUNTY: Duchesne
QTR/QTR, SECTION, TOWNSHIP, RAN	IGE, MERIDIAN: NWNW 3 11S 1	6E S.L.B. & M	STATE: UTAH
11. CHECK APP	ROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
✓ NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF
Date of work completion;	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	✓ OTHER: APD Extension
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	Request
12. DESCRIBE PROPOSED OR CO	OMPLETED OPERATIONS. Clearly show all r	pertinent details including dates, depths, volume	es. etc.
		referenced well be extended for	
LOG Nesources, me. resp	rectionly requests the Ar B for the	referenced well be extended for	one year.
	Approved	bytho	
	Utah Divis		
	Oil, Gas and		
	On, das and	2 1411111119	
	Date: <u>◯◯⊘</u>	11-08/	
	- > 0	$\tilde{\Omega}$ (all () ()	
	By: _ Tub	Left XX	COPY SENT TO OPERATOR
			Date: 10:17:2008
		20	
			Initials: <u>KS</u>
NAME (PLEASE PRINT) Kaylen	. Gardner	TITLE Lead Regulatory	Assistant
TOTAL (FELFOL FIXIVI)	Render		
SIGNATURE		DATE 6/2/2008	
This space for State use only			

RECEIVED

JUN 1 0 2008

Application for Permit to Drill Request for Permit Extension Validation

(this form should accompany the Sundry Notice requesting permit extension)

43-013-32610

API:

Well Name: Pete's Wash 1-3 Location: 707 FNL & 463 FWL (NWNW), Section 3, T11S, R16E S.L.B.&M
Company Permit Issued to: EOG Resources, Inc. Date Original Permit Issued: 6/22/2004
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.
Following is a checklist of some items related to the application, which should be verified.
If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes□No□
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes ☐ No ☑
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□No☑
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes ☐ No ☑
Has the approved source of water for drilling changed? Yes□No☑
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑
Is bonding still in place, which covers this proposed well? Yes ☑No□
Signature Date
Title: Lead Regulatory Assistant
Representing: EOG Resources, Inc. RECEIVED
JUN 1 0 2863

DIV. OF OIL, GAS & MINING

STATE OF UTAH			FORM 9			
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-76814			
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
	sals to drill new wells, significantly deepe gged wells, or to drill horizontal laterals.		7.UNIT or CA AGREEMENT NAME:			
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: PETES WASH U 1-3			
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43013326100000			
3. ADDRESS OF OPERATOR: 1060 East Highway 40 , Verna	ıl, UT, 84078 435 781-9	PHONE NUMBER: 111 Ext	9. FIELD and POOL or WILDCAT: UNDESIGNATED			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0707 FNL 0463 FWL			COUNTY: DUCHESNE			
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NWNW Section: 03	P, RANGE, MERIDIAN: 3 Township: 11.0S Range: 16.0E Meridian	n: S	STATE: UTAH			
11. CHE	CK APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPORT	, OR OTHER DATA			
TYPE OF SUBMISSION		TYPE OF ACTION				
	ACIDIZE	ALTER CASING	CASING REPAIR			
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME			
6/17/2009	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE			
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION			
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK			
_	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION			
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON			
	TUBING REPAIR	☐ VENT OR FLARE	WATER DISPOSAL			
☐ DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION			
Report Date:	☐ WILDCAT WELL DETERMINATION	☐ OTHER	OTHER:			
	MPLETED OPERATIONS. Clearly show all pe					
EOG Resources, Inc.	respectfully requests the API		e Approved by the			
	extended for one year	•	Utah Division of			
			Oil, Gas and Mining			
		_	15.0000			
		C	Date: June 17, 2009			
			BV: DOSABLE			
NAME (PLEASE PRINT)	PHONE NUMBE	R TITLE				
Mickenzie Thacker	435 781-9145	Operations Clerk				
SIGNATURE N/A		DATE 6/17/2009				

			FORM 9		
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-76814			
DIVISION OF OIL, GAS, AND MINING					
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME:		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: PETES WASH U 1-3		
2. NAME OF OPERATOR: EOG Resources, Inc.	9. API NUMBER: 43013326100000				
3. ADDRESS OF OPERATOR: 1060 East Highway 40 , Verna	al, UT, 84078 435 781-91	PHONE NUMBER: 11 Ext	9. FIELD and POOL or WILDCAT: UNDESIGNATED		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0707 FNL 0463 FWL			COUNTY: DUCHESNE		
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NWNW Section: 03	IP, RANGE, MERIDIAN: 3 Township: 11.0S Range: 16.0E Meridian:	: S	STATE: UTAH		
11. CHE	CK APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPORT,	OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
5/26/2010	☐ CHANGE WELL STATUS	☐ COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION		
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK		
	☐ PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
SPUD REPORT Date of Spud:	☐ REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
	☐ TUBING REPAIR	☐ VENT OR FLARE	WATER DISPOSAL		
DRILLING REPORT Report Date:	☐ WATER SHUTOFF	☐ SI TA STATUS EXTENSION	✓ APD EXTENSION		
Report Date:	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:		
12. DESCRIBE PROPOSED OR CO	 DMPLETED OPERATIONS. Clearly show all per	rtinent details including dates, depths, v	volumes, etc.		
EOG Resources, Inc.	respectfully requests the APD	for the referenced well be			
	extended for one year.		Approved by the Utah Division of		
			Oil, Gas and Mining		
			o., cas ana ig		
		D	May 26, 2010		
		_	R DOGINV		
		•	A: Trea Arec		
NAME (PLEASE PRINT) Michelle Robles	PHONE NUMBER 307 276-4842	TITLE Regulatory Assistant			
SIGNATURE	307 270-4042	DATE			
N/A		5/26/2010			



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43013326100000

API: 43013326100000 Well Name: PETES WASH U 1-3

Location: 0707 FNL 0463 FWL QTR NWNW SEC 03 TWNP 110S RNG 160E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 6/22/2004

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the req

the informat require revi	tion as submitted in t sion. Following is a c	the previously hecklist of son	approved applicat ne items related to	tión to drill, r o the applicat	emains v ion, whic	álid and does no ch should be veri	t fied.
	ated on private land, ed? 🗍 Yes 📵 No		rship changed, if s	o, has the su	rface agr	eement been	
• Have siting	any wells been drille requirements for thi	d in the vicinit s location?	y of the proposed Yes 📵 No	well which w	ould affe	ect the spacing o	•
	nere been any unit or s proposed well?		ents put in place t	hat could aff	ect the p	ermitting or ope	ratior
	there been any chang the proposed location			j ownership,	or righto	f- way, which cou	blı
• Has th	ne approved source o	f water for dri	lling changed?	Yes 📵 N	lo		
	there been any physi je in plans from what						3
• Is bor	nding still in place, w	hich covers th	is proposed well?	Yes	No Uta	oroved by the ah Division of Gas and Mining	j
Signature:	Michelle Robles	Date:	5/26/2010				
Title:	Regulatory Assistant F	Representina:	EOG RESOURCES. I	NC.	ate:	May 26, 2010	
	<i>J</i> ,				v. And	Quill	

			FORM 9		
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-76814			
DIVISION OF OIL, GAS, AND MINING					
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME:		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: PETES WASH U 1-3		
2. NAME OF OPERATOR: EOG Resources, Inc.	9. API NUMBER: 43013326100000				
3. ADDRESS OF OPERATOR: 1060 East Highway 40 , Verna	al, UT, 84078 435 781-91	PHONE NUMBER: 11 Ext	9. FIELD and POOL or WILDCAT: UNDESIGNATED		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0707 FNL 0463 FWL			COUNTY: DUCHESNE		
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NWNW Section: 03	IP, RANGE, MERIDIAN: 3 Township: 11.0S Range: 16.0E Meridian:	: S	STATE: UTAH		
11. CHE	CK APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPORT,	OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
5/26/2010	☐ CHANGE WELL STATUS	☐ COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION		
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK		
	☐ PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
SPUD REPORT Date of Spud:	☐ REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
	☐ TUBING REPAIR	☐ VENT OR FLARE	WATER DISPOSAL		
DRILLING REPORT Report Date:	☐ WATER SHUTOFF	☐ SI TA STATUS EXTENSION	✓ APD EXTENSION		
Report Date:	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:		
12. DESCRIBE PROPOSED OR CO	 DMPLETED OPERATIONS. Clearly show all per	rtinent details including dates, depths, v	volumes, etc.		
EOG Resources, Inc.	respectfully requests the APD	for the referenced well be			
	extended for one year.		Approved by the Utah Division of		
			Oil, Gas and Mining		
			o., cas ana ig		
		D	May 26, 2010		
		_	R DOGINV		
		•	A: Trea Arec		
NAME (PLEASE PRINT) Michelle Robles	PHONE NUMBER 307 276-4842	TITLE Regulatory Assistant			
SIGNATURE	307 270-4042	DATE			
N/A		5/26/2010			



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43013326100000

API: 43013326100000 Well Name: PETES WASH U 1-3


Location: 0707 FNL 0463 FWL QTR NWNW SEC 03 TWNP 110S RNG 160E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 6/22/2004

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the req

the informat require revi	tion as submitted in t sion. Following is a c	the previously hecklist of son	approved applicat ne items related to	tión to drill, r o the applicat	emains v ion, whic	álid and does no ch should be veri	t fied.
	ated on private land, ed? 🗍 Yes 📵 No		rship changed, if s	o, has the su	rface agr	eement been	
• Have siting	any wells been drille requirements for thi	d in the vicinit s location?	y of the proposed Yes 📵 No	well which w	ould affe	ect the spacing o	•
	nere been any unit or s proposed well?		ents put in place t	hat could aff	ect the p	ermitting or ope	ratior
	there been any chang the proposed location			j ownership,	or righto	f- way, which cou	blı
• Has th	ne approved source o	f water for dri	lling changed?	Yes 📵 N	lo		
	there been any physi je in plans from what						3
• Is bor	nding still in place, w	hich covers th	is proposed well?	Yes	No Uta	oroved by the ah Division of Gas and Mining	j
Signature:	Michelle Robles	Date:	5/26/2010				
Title:	Regulatory Assistant F	Representina:	EOG RESOURCES. I	NC.	ate:	May 26, 2010	
	<i>J</i> ,				v. And	Quill	





MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining JOHN R. BAZA

Division Director

May 25, 2011

Michelle Robles EOG Resources, Inc. P.O. Box 250 Big Piney, WY 83113

Re:

APD Rescinded – Pete's Wash U 1-3, Sec. 3, T. 11S, R. 16E,

Duchesne County, Utah API No. 43-013-32610

Dear Ms. Robles:

The Application for Permit to Drill (APD) for the subject well was approved by the Division of Oil, Gas and Mining (Division) on June 22, 2004. On June 6, 2005, June 19, 2006, June 11, 2007, June 11, 2008, June 17, 2009 and May 26, 2010 the Division granted a one-year APD extension. On May 24, 2011, you requested that the division rescind the state approved APD. No drilling activity at this location has been reported to the division. Therefore, approval to drill the well is hereby rescinded, effective May 24, 2011.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Diana Mason

Environmental Scientist

cc: Well File

Bureau of Land Management, Vernal

